

Martin's

Dr. Martin's Ant Bait Gel

Honeydew Formula With
UNI-TRACT™

UNI-TRACT™ is a patented insect attractant proven to enhance bait acceptance by a variety of ants.

ACTIVE INGREDIENT:

Disodium Octaborate Tetrahydrate 6%

INERT INGREDIENT: 94%

Total 100%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

NET CONTENTS: 0.75 oz

FIRST AID	
IF INHALED	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Rinse skin with plenty of water for 15-20 minutes.• Take off contaminated clothing.• Call poison control center or doctor for additional treatment advice.
IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none">• Call poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the poison control center or doctor.• Do not give anything by mouth to an unconscious person
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-483-4997 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal of this product.

Storage: Store product in original container in a cool dry place out of reach of children. Do not allow product to freeze.

Disposal: If empty: Do not reuse container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Notice: Buyer and user assume all the risk and liability of use, storage and/or handling of this product not in accordance with terms of this label.

Do not contaminate feed or foodstuffs.

Place baits in areas inaccessible to children and pets.

Remove as many competing food sources as practical. For use in and near homes, apartments, condominiums, schools, hospitals, restaurants, grocery stores, food processing plants, boats, cruise ships, institutional and commercial buildings, nursing homes, hotels and warehouses.

(Open placement method not to be used in California)

To use Dr. Martin's Ant Bait Gel for the control of ants, make small pea-sized placements and/or thin lines in areas where ants are a problem. Long thin lines allow room for many ants to feed on the bait. Use 1-3 lines for each placement. Place baits where ants are trailing or have been seen. Place bait under food cabinets, sinks, stoves, refrigerators, food storage areas, attics, garages, basements, storage areas, closets, etc. Place on exterior windowsills and in doorways to help prevent entry of ants.

Bait may be in "Ant Café", "Ant Café RTU" (Ready To Use), "Ant & Roach Buffet", or other similar bait stations. Wash hands thoroughly before handling to remove any odors that may be repellent to ants, i.e. tobacco, garlic, strong chemicals/cleaners etc.

Ants are attracted to and will feed on Dr. Martin's Ant Bait Gel until they die. The ants will return to their nests after consuming the bait and will feed their young and the queen destroying the colony. Repeat placement of the bait until satisfactory control has been achieved.

Do not use sprays, foggers or any strong chemicals or cleaners near the bait containers or placements. This may contaminate the bait and cause the insects to cease feeding.

MANUFACTURED BY:

Control Solutions, Inc.
5903 Genoa-Red Bluff Road
Pasadena, TX 77507-1041

EPA Reg. No. 73766-1-53883
EPA Est. No. 53883-TX-002
U.S. Patent No. 5,939,061

